



Metering Rates in lbs/acre

Jun-03

Valmar 1655, 2055, 3255 IM, 245 PT, 245TM, 242TM, 1255 PT, 6600PT with agitator installed

12 groove gray roller 1/4 in. gap

Product	DENSITY LB/CFT	GEARBOX SETTING																GEARBOX INPUT RATIO	
		NO. 1		NO. 2		NO. 3		NO. 4		NO. 5		NO. 6		NO. 7		NO. 8			
		A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B		
																		ULTRA LOW RATIO	
Meadow Brome		2.0		2.1	2.2	2.3	2.4	2.5	2.6	2.8	2.9	3.0	3.2	3.3	3.5	3.7	3.9		
Hopper Stopper	19	0.5		0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.8	0.8	0.9		0.9
																		LOW RATIO	
Meadow Brome		3.9		4.1	4.3	4.6	4.8	5.0	5.3	5.5	5.8	6.1	6.4	6.7	7.0	7.4	7.8		
Hopper Stopper	19	0.9		1.0	1.0	1.1	1.1	1.2	1.2	1.3	1.3	1.4	1.5	1.6	1.6	1.7	1.8		



USE THIS CHART AS A GUIDE ONLY, CALIBRATE YOUR APPLICATOR.

Metering Rates in lbs/acre

Jun-03

Valmar 1655, 2055, 3255 IM, 245 PT, 245TM, 242TM, 1255 PT, 6600PT with agitator installed

12 groove gray roller 1/4 in. gap

Product	DENSITY LB/CFT	GEARBOX SETTING																GEARBOX INPUT RATIO
		NO. 1		NO. 2		NO. 3		NO. 4		NO. 5		NO. 6		NO. 7		NO. 8		
		A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	
																		MEDIUM RATIO
Meadow Brome		7.9		8.4	8.7	9.2	9.6	10.1	10.6	11.1	11.7	12.3	12.9	13.5	14.2	14.9	15.7	
Hopper Stopper	19	1.8		1.9	2.0	2.1	2.2	2.4	2.5	2.6	2.7	2.8	3.0	3.1	3.3	3.4	3.7	
																		HIGH RATIO
Meadow Brome		15.7		16.7	17.4	18.4	19.2	20.2	21.2	22.2	23.3	24.4	25.7	26.9	28.4	29.6	31.4	
Hopper Stopper	19	3.7		3.9	4.0	4.3	4.5	4.7	4.9	5.2	5.4	5.7	6.0	6.2	6.6	6.9	7.3	

USE THIS CHART AS A GUIDE ONLY, CALIBRATE YOUR APPLICATOR.